

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	search near3 criteria near3 obtained near3 (natural near3 language near3 system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 12:05
L2	1	(search near3 criteria) same obtained same (natural near3 language near3 system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 12:05
L5	0	(search near3 paramaters) same obtained same (natural near3 language)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 12:06
L6	8	(search near3 criter\$3) same obtained same (natural near3 language)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 12:20
L7	1	"20040034629".pn. and (product or software)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 12:25
L8	0	"20050234872".pn. and means	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 12:26
L9	2	"20050234872".pn. and search	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 12:26
L10	0	"20050234872".pn. and means	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 12:27
S1	4	(stor\$4 or sav\$4 or record\$4 or track\$4) near3 (search near3 (criter\$4 or paramaters)) near3 stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 16:02
S2	42	(stor\$4 or sav\$4 or record\$4 or track\$4) same (search near3 (criter\$4 or paramaters)) same stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 16:07
S3	2509	((set near3 up) or construct or build) near3 query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 16:08
S4	58	S3 and (search adj (criter\$4 or paramaters or expressions)) and stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 16:21
S5	37	(search near3 (criter\$4 or paramaters or expressions)) same (stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 16:26
S6	5	storing near3 search near3 stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 16:28
S7	40	(search near criteria) same (information near3 state)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 16:28
S8	4	S7 and stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 16:35

## EAST Search History

S9	4	combin\$4 same (search near3 criteria) same (generat\$4 near3 query)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 16:56
S10	445	combin\$4 same quer\$4 same (generat\$4 near3 query)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 16:56
S11	1	combin\$4 same quer\$4 same (generat\$4 near3 query) same stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 16:58
S12	18	(combin\$4 same quer\$4 same (generat\$4 near3 query)) and stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 16:58
S13	3	S12 and (dynamic near3 query)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 17:00
S14	0	combine near3 (seach near3 criteria)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 17:06
S15	2573	search same stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 17:06
S16	11	store near3 search near3 stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 17:09
S17	74	contribution near3 stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 17:09
S18	3	S17 and (search near3 (criter\$3 or parameters or text or string))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 17:10
S19	590	(query near3 (constructor or creator or maker or (set near3 up)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 17:13
S20	44	S19 and ((previous or prior) near3 search\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 17:22
S21	2531	search near3 criteria near3 user	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 17:23
S22	174	S21 and (stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 17:23
S23	492	S21 and (stack or queue)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 17:23
S24	48	S23 and (construct near3 query)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 17:42

## EAST Search History

S25	7	push near3 search near3 stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 17:47
S26	31	((limits\$4 or relax\$4 or narrow\$4) near3 search) same (stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 17:50
S27	0	save near3 (search or query) near3 stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 17:50
S28	5	sav\$4 near3 (search or query) near3 stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 17:51
S29	0	push\$4 near3 (search or query) near3 stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 17:51
S30	24	push\$4 near3 (search or query) near3 stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 17:56
S31	0	combine near3 all near3 search near3 criteria near3 entered	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 17:56
S32	374740	combine same (all near3 search near3 criteria) same] entered	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 17:56
S33	0	combine same (all near3 search near3 criteria) same entered	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 17:56
S34	0	combine same all same search same criteria same entered	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 17:57
S35	0	combine same all same (search near3 criter\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 17:57
S36	0	combin\$4 same all same (search near3 criter\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 17:58
S37	0	all same (search near3 criter\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 18:11
S38	138	combine same (search near3 criter\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 17:58
S39	7	combine same (search near3 criter\$2) same entered	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 17:59
S40	55	combine same (queries) same entered	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 18:04

## EAST Search History

S41	0	combine near3 (queries or (search near3 criter\$3) or (search near3 parameters) or (search near3 string)) near3 entered	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 18:05
S42	293	combin\$4 same (queries or (search near3 criter\$3) or (search near3 parameters) or (search near3 string)) same entered	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 18:06
S43	238	S42 not S40	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 18:06
S44	300	incremental near3 search	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 18:11
S45	356	incremental near3 search\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 18:12
S46	62	S45 and stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 18:12
S47	0	incremental near3 (search near3 criteria)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 18:12
S48	148	incremental near3 ((search adj (criter\$2 or parameters or inputs)) or queries)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 18:14
S49	42	((incremental near3 ((search adj (criter\$2 or parameters or inputs)) or queries)) and stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 18:14
S50	5663891	((set near3 up) or creat\$4 or construct\$5 or build)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/01 18:55
S51	7127	((((set near3 up) or creat\$4 or construct\$5 or build) near3 query)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/01 18:55
S52	1	maintain near3 order near3 (search near3 criteria)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/01 18:56
S53	11	maintain near3 order near3 (search near3 (criteria or parameters or information or data or query))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/01 18:57
S54	0	S51 same S53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/01 18:57
S55	1	S53 and S51	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/01 18:57
S56	53	storing near3 (search near3 criteria)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/01 19:01

## EAST Search History

S57	10	S56 and S51	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/01 18:58
S58	121	(storing or saving or recording or tracking) near3 (search near3 criteria)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/01 19:03
S59	68	S58 not S56	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/01 19:02
S60	4	(storing or saving or recording or tracking) near3 (search near3 criteria) near3 (stack or queue)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/01 19:07
S61	1	generate same (information near3 state) same (search near3 (criteria or parameters or information or data or query)) same (stack or queue)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/01 19:09
S62	6	(generat\$4 or construct\$4 or creat\$4 or ((set or setting) near3 up) or build\$4) same (information near3 state) same (search near3 (criteria or parameters or information or data or query)) same (stack or queue)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/01 19:15
S63	133	(generat\$4 or construct\$4 or creat\$4 or ((set or setting) near3 up) or build\$4) same (information near3 state) same (search near3 (criteria or parameters or information or data or query))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/01 19:15
S64	8232673	S63 no S62	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/01 19:16
S65	127	S63 not S62	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/01 19:42
S66	40	((generat\$4 or (form or formed or forming) or creat\$4) near3 (information near3 state)) same stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/01 19:44
S67	3	((generat\$4 or (form or formed or forming) or creat\$4) near3 (information near3 state)) same (search near3 (criteria or strings or query or parameters or phrase or data)) same stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/01 19:45
S68	0	derive near3 (information near3 state) near3 (stack near3 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/01 19:46
S69	2	derive same (information near3 state) same (stack near3 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/01 19:57
S70	0	(spoken near3 search) near10 stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/01 19:58
S71	14	(spoken near3 search) near10 query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/01 19:58
S72	0	(spoken near3 query) near10 stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/01 19:58

## EAST Search History

S73	0	(spoken near3 query) same stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/01 19:58
S74	0	(spoken near3 search) same stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/01 19:58
S75	4	(spoken same search) same stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/01 20:03
S76	0	(incremental near3 search) and (search near3 stored near3 stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/01 20:04
S77	0	(incremental near3 search) and (search near10 stored near10 stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/01 20:04
S78	1	(incremental near3 search) and (search same stored same stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/01 20:05
S79	14	queue near3 search near3 criteria	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/01 20:05
S80	2	"20040034629".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 08:30
S81	1	"20040034629".pn. and queue	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 08:34
S82	1	"20040034629".pn. and (queue or cue\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 08:47
S83	1	"20040034629".pn. and (update near3 operation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:14
S84	0	"20040034629".pn. and (hierarchy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:14
S85	1	"20040034629".pn. and (order)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:26
S87	1	"20040034629".pn. and (new near3 criteria)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:21
S88	59	(check or scan) near3 stack near3 entry	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:24
S89	3	S88 and search near3 criteria	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:23

## EAST Search History

S90	0	"20040034629".pn. and ((scan or check or read) near3 queue)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:27
S91	0	"20040034629".pn. and (delete near3 criteria)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:27
S92	0	"20040034629".pn. and ((delete or erase) near3 criteria)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:27
S93	0	"20040034629".pn. and ((delete or erase) same criteria)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:27
S94	0	"20040034629".pn. and (delete or erase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:27
S95	0	"20040034629".pn. and (delete or erase or remove)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:27
S96	11990	(delete or erase or remove) near7 stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:28
S97	16566	(delete or erase or remove) near7 (stack or queue)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:28
S98	22	((delete or erase or remove) near3 duplicate near3 (stack or queue)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:54
S10 1	327	((delete or erase or remove) near3 entries near3 new near3 entry	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:56
S10 2	0	((delete or erase or remove) near3 all near3 entries near3 new near3 entry) same stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:55
S10 3	0	((delete or erase or remove) near3 all near3 entries near3 new near3 entry) same queue	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:55
S10 4	0	((delete or erase or remove) near3 all near3 entries near3 new near3 entry) and stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:56
S10 5	0	((delete or erase or remove) near3 all near3 entries near3 new near3 entry) and queue	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:56
S10 6	0	remove near3 (stack or queue) near3 after near3 new	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:56
S10 7	4683	remove same (stack or queue) same new	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:57

## EAST Search History

S108	212	remove near5 (stack or queue) near5 new	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 12:04
S109	0	S108 same (search near3 criteria)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:57
S110	2	S108 same (search)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:57